

Providing cost-effective, high-speed color printing solutions



## IBM Infoprint Color 1357 and IBM M32 MFP Option



---

### Highlights

---

- ***Prints in color or black and white at up to 28 pages per minute***
- ***Provides 2400 image quality and consistent color output***
- ***Offers simple maintenance features for ease of use***
- ***Supports large-format media up to 12 x 18" and banners up to 36" in length***

The Infoprint Color 1357 is a high-value workgroup printer that provides excellent color quality at print speeds of up to 28 color or monochrome pages per minute (ppm). Its wide-format capability is ideal for spreadsheets, financial statements and design applications. Also, it can produce black and white jobs at a cost per page comparable to most monochrome printers.

### **Enhancing productivity and quality**

PCL 6 and PostScript® 3™ emulations are standard on the Infoprint Color 1357. A powerful processor and plenty of memory allow you to produce complex documents quickly and automatic toner patch sensing helps deliver superior print quality and consistent color output.

### **Providing simple, flexible features**

Front-loading, high yield toner cartridges are easy to install, allowing the user to replace supplies without maintenance assistance. The Infoprint Color 1357 offers a variety of optional paper handling features, such as a 3000-sheet high-capacity feeder, auto duplexing, and a 1100-sheet finisher that includes stapling, hole-punch and job offset capabilities.

**Leveraging your investment with multifunction capabilities**

You can add full-function copy, fax and color network scan capabilities—as well as send documents via fax and e-mail—when you upgrade the Infoprint Color 1357 with the IBM M32 MFP Option. The M32 features an easy-to-use color touchscreen interface and enhanced image processing, and integrates easily with the Infoprint Color 1357 to help simplify demanding workflow requirements. An enterprise directory look-up feature enables quick e-mail and faxing activities.

The M32 provides monochrome and color single-pass duplex scan capabilities and can help increase productivity, improve processing times,

reduce costs and optimize device and space utilization. Optional document distribution software—that integrates into your workflow process—can help reduce manual tasks by automating complex document workflow activities, such as routing, indexing and archiving. And consolidated supplies for printing, copying and faxing can help reduce costs, user intervention and stock management.

**Relying on world-class service**

With IBM service, you receive high-quality, reliable support from experts with comprehensive knowledge of IBM printers, software and supplies. Next-day 9x5 and same-day 24x7 service offerings are available on all IBM printers in the U.S.

**Competitive financing options from IBM Global Financing**

IBM Global Financing offers some of the industry's most competitive rates for a wide range of IBM products and services. For more information please visit: [ibm.com/financing](http://ibm.com/financing)

**For more information**

To learn more about the IBM Infoprint Color 1357 and the IBM M32 MFP Option, call IBM Printing Systems at 1-800-IBM-4-YOU (426-4968), or visit:

[ibm.com/printers](http://ibm.com/printers)

<b>Maximum speed (up to)<sup>1</sup></b>	<b>Print:</b> 28 ppm, color or black and white	<b>First-page-out time:</b> as fast as 15 seconds	
<b>Technology/processor</b>	Color dynamic LED/600 MHz RISC		
<b>Maximum monthly usage<sup>2</sup></b>	100,000 pages		
<b>Print resolution</b>	2400 image quality, automatic color correction		
<b>Memory (standard/max)</b>	128/512 MB (base)	256/512 MB (n)	
<b>Paper handling</b>		Input sources	2/6 (std/max)
Input capacity	650/5,300 sheets (std/max)		
Output capacity	650/1,650 sheets (std/max)	Output sources	2/3 (std/max)
<b>PC interfaces (standard)</b>	Parallel, USB, one internal solutions port (base); USB, 10/100BaseTX, one internal solutions port (n)		
<b>Printer attachments (optional)</b>			
Internal	Ethernet 10/100BaseTX; Ethernet 10BaseT/2; Token Ring; Fiberoptic SC; Fiberoptic MTRJ; Twinax/Coax adapter for SCS; Tri-port adapter (infrared, serial, Mac); Serial/Parallel interface card		
External	Ethernet 10/100BaseTX—1 port or 3 port; Ethernet 10/100BaseTX and 10Base2—1 port; Token Ring—3 port; Infrared adapter; Serial adapter		
<b>Application solutions</b>	Intelligent Printer Data Stream (IPDS) <sup>3</sup> , ImageQuick, Optra Forms , Bar code card		
<b>Physical characteristics</b>	27.4" (W) x 25.8" (D) x 20.2" (H)	177.1 lbs (weight)	
<b>Toner yield<sup>4</sup></b>	8,000-page starter cartridge; 14,000-page high-yield toner cartridge		
<b>Cost-saving and environmental features</b>	High-yield print cartridges; monochrome lock-down capability; optional duplex printing; three levels of toner saver		
<b>Warranty</b>	One year, 9x5 next-day onsite repair (upgrades are available). For more information, visit: <a href="http://ibm.com/support/warranties/us">ibm.com/support/warranties/us</a>		

<sup>1</sup> Exact speed varies depending on document complexity, system configuration, software application, driver and printer state.

<sup>2</sup> IBM does not recommend printing this monthly maximum on a consistent basis.

<sup>3</sup> Only monochrome output is supported.

<sup>4</sup> Assumes 5% toner coverage per page. Toner yields are provided for planning purposes and are not a guarantee of minimum life; actual yields may vary.

## IBM M32<sup>1</sup> MFP Option at a glance

### Document handling

Automatic document feeder (capacity/max speed<sup>2</sup>) Up to: 50 sheets/34 ppm letter black  
19 ppm letter color

Console type Touchscreen

Maximum scan size Ledger (11.7" x 17")

Input Duplex (single pass)

### Scanning capabilities

Scan file formats JPEG, TIFF, PDF, PostScript

Type Color and monochrome

Maximum optical resolution 600 x 600 dpi

Scan destinations/archiving FTP server, workstation, e-mail

### Fax capabilities

Maximum fax resolution 400 x 400 dpi

Modem speed 33.6 Kbps

Receive fax Yes

Send hard copy fax Platen or automatic document feeder

Send soft copy fax From PostScript print driver at workstation

Memory send Yes

Internal faxing (scan to FTP) Yes

Fax-server integration Biscom, Equisys, Omtool, RightFax

**Physical characteristics<sup>3</sup>** 26" (W) x 27" (D) x 16.5" (H) 64 lbs (weight)

### Warranty

One year, next-day IBM onsite repair (upgrades are available). For more information, visit: [ibm.com/support/warranties/us](http://ibm.com/support/warranties/us)



© Copyright IBM Corporation 2003

IBM Printing Systems  
Dept. HT7/002N  
P.O. Box 1900  
Boulder, CO 80301-9191

Printed in the United States of America  
10-03  
All Rights Reserved

IBM, the IBM logo, the e-business logo, Infoprint, Intelligent Printer Data Stream and IPDS are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both.

Adobe and PostScript are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Other company, product and service names may be trademarks or service marks of others.

References in this publication to IBM products or services do not imply that IBM intends to make them available in all countries in which IBM operates.

IBM hardware products are manufactured from new parts, or new and used parts. In some cases, the hardware product may not be new and may have been previously installed. Regardless, our warranty terms apply.

ENERGY STAR is a U.S. registered mark. The ENERGY STAR Emblem does not represent EPA endorsement of any product or service.



<sup>1</sup> The M32 requires a network model IBM Infoprint 1357.

<sup>2</sup> Exact scan speed varies depending on the document attributes, system configuration and user selected settings.

<sup>3</sup> MFP furniture and printer stands are available for improved stability.

Printed on an IBM Infoprint® Color System Full-Color Digital Printer.